


Pipe Size	O.D. Outside Diameter	I.D. Inside Diameter	T Wall Thickness	C Center to End	M Center to End	Pipe Schedule Number	Approx. Weight in Pounds
1/2	.840	.546	.147	1	1	80	.37
3/4	1.050	.742	.154	1 1/8	1 1/8	80	.58
1	1.315	.957	.179	1 1/2	1 1/2	80	.87
1 1/4	1.660	1.278	.191	1 7/8	1 7/8	80	1.6
1 1/2	1.900	1.500	.200	2 1/4	2 1/4	80	2.3
2	2.375	1.939	.218	2 1/2	2 1/2	80	3.9
2 1/2	2.875	2.323	.276	3	3	80	6.5
3	3.500	2.900	.300	3 3/8	3 3/8	80	9.0
3 1/2	4.000	3.364	.318	3 3/4	3 3/4	80	12.2
4	4.500	3.826	.337	4 1/8	4 1/8	80	16.2
5	5.563	4.813	.375	4 7/8	4 7/8	80	26.6
6	6.625	5.761	.432	5 5/8	5 5/8	80	41.8
8	8.625	7.625	.500	7	7	80	76.2
10	10.750	9.750	.500	8 1/2	8 1/2	60	115.0
12	12.750	11.750	.500	10	10	*	169.0
14	14.000	13.000	.500	11	11	*	237.0
16	16.000	15.000	.500	12	12	40	284.0
18	18.000	17.000	.500	13 1/2	13 1/2	*	353.0
20	20.000	19.000	.500	15	15	30	442.0
24	24.000	23.000	.500	17	17	*	625.0

EXTRA STRONG



*This size and thickness does not correspond to any pipe schedule number.

1. Conforms to ASME/ANSI B16.9 & ASTM A-234.
2. All dimensions are in inches

3. For bevel detail see page 50.
4. For dimensional tolerances see page 51.